

## 1 Identification

- **Product identifier**
- **Trade name:** Phenol:Chloroform Saturated, pH 5.2
- **Article number:** 802515
- **Application of the substance / the mixture** For Research Use Only
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MP Biomedicals, LLC  
29525 Fountain Parkway  
Solon, OH 44139  
United States  
www.mpbio.com
- **Information department:** Quality Control Department
- **Emergency telephone number:** CHEMTREC: 1-800-424-9300 (1-703-527-3887)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 1)

· **Hazard pictograms**



· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*Phenol, ultra pure  
Chloroform  
Isoamyl Alcohol, ACS*

· **Hazard statements**

*Toxic if swallowed, in contact with skin or if inhaled.  
Causes severe skin burns and eye damage.  
Suspected of causing genetic defects.  
Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.  
May cause drowsiness or dizziness.  
May cause damage to organs through prolonged or repeated exposure.*

· **Precautionary statements**

*Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
Call a POISON CENTER/doctor if you feel unwell.  
Get medical advice/attention if you feel unwell.  
Specific treatment (see on this label).  
Take off immediately all contaminated clothing and wash it before reuse.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**  
Mixture of substances listed below with nonhazardous additions.  
Mixture: consisting of the following components.

- **Dangerous components:**

CAS: 108-95-2 EINECS: 203-632-7 RTECS: SJ3325000	Phenol, ultra pure	10-50%
CAS: 67-66-3 EINECS: 200-663-8 RTECS: FS9100000	Chloroform	10-50%
CAS: 123-51-3 EINECS: 204-633-5 RTECS: EL5425000	Isoamyl Alcohol, ACS	1-2.5%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.  
Remove breathing apparatus only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.
- **After skin contact:** Wash off with soap and plenty of water. Consult a Doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 3)

- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Pick up mechanically, dispose contaminated material as waste according to Section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

108-95-2	Phenol, ultra pure	15 ppm
67-66-3	Chloroform	2 ppm
123-51-3	Isoamyl Alcohol, ACS	125 ppm

· **PAC-2:**

108-95-2	Phenol, ultra pure	23 ppm
67-66-3	Chloroform	64 ppm
123-51-3	Isoamyl Alcohol, ACS	1700* ppm

· **PAC-3:**

108-95-2	Phenol, ultra pure	200 ppm
67-66-3	Chloroform	3,200 ppm
123-51-3	Isoamyl Alcohol, ACS	10000** ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** 2 - 8°C
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see Section 7.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 4)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**108-95-2 Phenol, ultra pure**

PEL	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin
REL	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Ceiling limit value: 60* mg/m <sup>3</sup> , 15.6* ppm *15-min; Skin
TLV	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin; BEI

**67-66-3 Chloroform**

PEL	Ceiling limit value: 240 mg/m <sup>3</sup> , 50 ppm
REL	Short-term value: 9.78* mg/m <sup>3</sup> , 2* ppm *60-min; See Pocket Guide App. A
TLV	Long-term value: 49 mg/m <sup>3</sup> , 10 ppm

**123-51-3 Isoamyl Alcohol, ACS**

PEL	Long-term value: 360 mg/m <sup>3</sup> , 100 ppm primary and secondary
REL	Short-term value: 450 mg/m <sup>3</sup> , 125 ppm Long-term value: 360 mg/m <sup>3</sup> , 100 ppm primary and secondary
TLV	Short-term value: 452 mg/m <sup>3</sup> , 125 ppm Long-term value: 361 mg/m <sup>3</sup> , 100 ppm

· **Ingredients with biological limit values:**

**108-95-2 Phenol, ultra pure**

BEI	250 mg/g creatinine urine end of shift Phenol with hydrolysis (background, nonspecific)
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Solution
<b>Color:</b>	Colorless
<b>Odor:</b>	Indeterminate
<b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** unknown °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** See section 10

· **Explosion limits:**

<b>Lower:</b>	1.3 Vol %
<b>Upper:</b>	9.5 Vol %

· **Vapor pressure:** Not Applicable

· **Density:** Not Applicable

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with** Not Determined

· **Water:** Not determined.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: Phenol:Chloroform Saturated, pH 5.2

(Contd. of page 6)

- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 52.0 %
  - VOC content:** 52.00 %
  - 520.0 g/l / 4.34 lb/gl
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### ATE (Acute Toxicity Estimate)

Dermal	LD50	139 mg/kg
Inhalative	LC50/4 h	3.05 mg/L

### 108-95-2 Phenol, ultra pure

Oral	LD50	317 mg/kg (rat)
Dermal	LD50	630 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/L (ATE)

### 67-66-3 Chloroform

Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat) 20,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/L (ATE)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**
  - Strong caustic effect.
  - Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
  - The product shows the following dangers according to internally approved calculation methods for preparations:
  - Toxic

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 7)

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

108-95-2	Phenol, ultra pure	3
67-66-3	Chloroform	2B

· **NTP (National Toxicology Program)**

67-66-3	Chloroform	R
---------	------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

<b>ATE (Acute Toxicity Estimate)</b>		
Oral	LC50 / 96 h	69.5-128 mg/L

**108-95-2 Phenol, ultra pure**

Oral	LC50 / 96 h	36.1-68.8 mg/L (Carassius auratus)
------	-------------	------------------------------------

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Discard must be made according to official regulations.

US

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS






Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: Phenol:Chloroform Saturated, pH 5.2

(Contd. of page 8)

## 14 Transport information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	<p style="margin: 0;">UN2821</p>
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	<p style="margin: 0;">Phenol solutions 2821 Phenol solutions, ENVIRONMENTALLY HAZARDOUS PHENOL SOLUTION, MARINE POLLUTANT PHENOL SOLUTION</p>
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div> <p style="margin: 10px 0 0 0;">· <b>Class</b> 6.1 Toxic substances · <b>Label</b> 6.1</p>
<ul style="list-style-type: none"> <li>· <b>ADR, IMDG</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div> <p style="margin: 10px 0 0 0;">· <b>Class</b> 6.1 Toxic substances · <b>Label</b> 6.1</p>
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">  </div> <p style="margin: 10px 0 0 0;">· <b>Class</b> 6.1 Toxic substances · <b>Label</b> 6.1</p>
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	<p style="margin: 0;">II</p>
<ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> </ul>	<p style="margin: 0;">Product contains environmentally hazardous substances: Phenol, ultra pure Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>	<p style="margin: 0;">Warning: Toxic substances 60 F-A,S-A A</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<p style="margin: 0;">Not applicable.</p>

(Contd. on page 10)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: Phenol:Chloroform Saturated, pH 5.2

(Contd. of page 9)

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations**

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· **Remarks:**

Special marking with the symbol (fish and tree).

· **ADR**

· **Excepted quantities (EQ)**

Code: E4

Maximum net quantity per inner packaging: 1 ml

Maximum net quantity per outer packaging: 500 ml

· **IMDG**

· **Limited quantities (LQ)**

100 ml

· **Excepted quantities (EQ)**

Code: E4

Maximum net quantity per inner packaging: 1 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 2821 PHENOL SOLUTIONS, 6.1, II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

108-95-2 Phenol, ultra pure

67-66-3 Chloroform

· **Section 313 (Specific toxic chemical listings):**

108-95-2 Phenol, ultra pure

67-66-3 Chloroform

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

67-66-3 Chloroform

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

67-66-3 Chloroform

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

108-95-2 Phenol, ultra pure

D, I

67-66-3 Chloroform

B2, L, NL

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 10)

· **TLV (Threshold Limit Value established by ACGIH)**

108-95-2	Phenol, ultra pure	A4
67-66-3	Chloroform	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

67-66-3	Chloroform
---------	------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*Phenol, ultra pure*

*Chloroform*

*Isoamyl Alcohol, ACS*

· **Hazard statements**

*Toxic if swallowed, in contact with skin or if inhaled.*

*Causes severe skin burns and eye damage.*

*Suspected of causing genetic defects.*

*Suspected of causing cancer.*

*Suspected of damaging fertility or the unborn child.*

*May cause drowsiness or dizziness.*

*May cause damage to organs through prolonged or repeated exposure.*

· **Precautionary statements**

*Obtain special instructions before use.*

*Do not handle until all safety precautions have been read and understood.*

*Do not breathe dusts or mists.*

*Wash thoroughly after handling.*

*Do not eat, drink or smoke when using this product.*

*Use only outdoors or in a well-ventilated area.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

*If swallowed: Rinse mouth. Do NOT induce vomiting.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*IF exposed or concerned: Get medical advice/attention.*

*Call a POISON CENTER/doctor if you feel unwell.*

*Get medical advice/attention if you feel unwell.*

*Specific treatment (see on this label).*

*Take off immediately all contaminated clothing and wash it before reuse.*

*Store in a well-ventilated place. Keep container tightly closed.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 12)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

**Trade name: Phenol:Chloroform Saturated, pH 5.2**

(Contd. of page 11)

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Quality Control Dept.
- **Date of preparation / last revision** 08/17/2017 / -
- **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*BEI: Biological Exposure Limit*

*Acute Tox. 3: Acute toxicity – Category 3*

*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Muta. 2: Germ cell mutagenicity – Category 2*

*Carc. 2: Carcinogenicity – Category 2*

*Repr. 2: Reproductive toxicity – Category 2*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*